Slides Accompanying Training Films

To use in Education Sessions for Trainers, Observers and Health-Care Workers

HAND HYGIENE SCENARIOS User instructions (1)

- The "Training film" is a tool included in the WHO Multimodal Hand Hygiene Improvement Strategy to help convey the concept of the "My 5 Moments for Hand Hygiene" approach to health-care workers
- These slides are designed to accompany the film and to explain the content and educational message of the different scenarios
- The concepts included in the films are the same as those presented in the "Education Sessions for Trainers, Observers and Health-Care Workers", the "Hand Hygiene Why, How and When Brochure" and in the "Hand Hygiene Technical Reference Manual"
- The films should be shown only after all other parts of the "Education Sessions for Trainers, Observers and Health-Care Workers" have been presented

HAND HYGIENE SCENARIOS User instructions (2)

- This material is meant to:
 - give visual examples of the 5 moments (indications) for hand hygiene to healthcare workers and observers
 - train observers in the completion of the Observation Form
- The material can be used in a single session (at least 2 hours) or in several shorter sessions

Scenarios 1–5:

- are intended to be used to train both health-care workers and observers
- each scenario is dedicated to one of the 5 moments (indications) for hand hygiene
- some scenarios exist in different versions to highlight different aspects



HAND HYGIENE SCENARIOS User instructions (2)

Scenarios 6-9:

- are intended to be used mainly to train observers
- should be used while completing the Observation Form
- show examples of sequences of health care during which several indications for hand hygiene occur

missed hand hygiene actions are shown in some scenarios but a duplicate of each of them is provided showing 100% hand hygiene compliance

HAND HYGIENE SCENARIOS User instructions (3)

- The section "How to do hand hygiene" includes the correct technique for handwashing and handrubbing according to the steps and time recommended by WHO
- In practice, the scenarios should be watched one by one and the observer should complete the observation form.
- Discussion should then take place and the slides with the explanation and the observation form correctly completed should be finally shown
- The menu bar allows to freely switch from one scenario to another, but please note that the current order has been constructed as a logical module with progressive learning complexity

SCENARIO 1: Before touching a patient 1a – While entering the patient surroundings

Content

- The nurse opens the door (last contact with the health-care environment), enters the room and goes towards the patient
- While entering, she performs hand hygiene (handrubbing)
- She moves the night table (contact with an object in patient surroundings)
- She helps the patient to bring out his arm from under the sheets (first patient contact)

Key messages

The nurse performs hand hygiene while approaching the patient. She handrubs before touching surfaces and objects; since these are part of the patient zone, it is not necessary to perform hand hygiene again before touching the patient. The indication remains "before touching a patient"



SCENARIO 1: Before touching a patient 1b – Just before patient contact

Content

- The nurse opens the door (last contact with care environment), enters the room and goes towards the patient.
- She moves the night table (contact with object in patient surroundings)
- She performs hand hygiene (handrubbing)
- She helps the patient to bring his arm from under the sheets (first patient contact)

Key messages

Hand hygiene is required before patient contact to protect the patient from harmful germs carried on hands from the health-care environment outside the patient's surroundings. Contact with surfaces and objects in the patient zone do not strictly imply the need for hand hygiene, whereas contact with the patient's skin does.



SCENARIO 1: Before touching a patient 1c – Hand hygiene at the right moment?

Content

- The nurse performs
 handrubbing in the corridor
 (hand hygiene action is
 useless)
- She opens the door (last contact with the environment in the health-care area) and goes into the room towards the patient
- She helps the patient to bring his arm out from under the sheets (hand hygiene action missed)

Key messages

After performing hand hygiene in the corridor (additional action not corresponding to any recommended indication), the nurse touches the door handle and thus potentially contaminates her hand with germs belonging to the healthcare area. She then misses the action before touching the patient, potentially contaminating him with those germs.



SCENARIO 1: Before touching a patient 1d – Repeated patient contacts

Content

- The nurse opens the door (last contact with environment in the health-care area), enters the room and goes towards the patient
- While entering, she performs hand hygiene (handrubbing)
- She helps the patient to bring his arm out from under the sheets and measures his blood pressure (first patient contact)
- She moves to the other side of the bed

- She moves the night table (contact with patient surroundings)
- She takes the patient's right arm and assesses finger mobility (patient contact)
- She bends down to examine the urine content in the bag and then touches the bed while standing up (contact with patient surroundings) She pours a glass of water for the patient (contact with patient surroundings)



SCENARIO 1: Before touching a patient 1d – Repeated patient contacts

Key messages

- The sequence shows several contacts with the patient and his surroundings, but with no clean / aseptic procedure nor body fluid exposure risk.
- Hand hygiene is correctly performed only once, before touching the patient for the first time. There is no need for further hand hygiene actions because the nurse is always moving within the patient zone.
- At the end of the sequence, she handrubs but the action should not be recorded as the observer has no idea whether the nurse actually left the patient and his zone.

⊕Observation Form: scenario 1a, 1b, 1d

	001700					110 10	,	-,	1.01						
Facili	ity:	AIC Kijabe	Hospit	tal P	Period	Number*:	1				Sessi Numb		1		
Serv	ice:	Surgery			Date: dd/mm/y	/y)	05	/ 05	/ 09		Obser (initials)		LB		
Ward	l :	Surgery B			Start/E hh:mm)	nd time:	10	:00 /	10:20		Page	N°:			
Depa	Department: Surgical Country**: Kenya				Sessio mm)	n duration	20				City**:		Kija	abe	
Cour	Country**: Kenya Prof.cat Nurse/Midwife														
Prof.	cat Nurse/N	/lidwife	Prof.	cat			Prof.	cat				Prof.	cat		
Code			Code				Code	•				Code	<u> </u>		
Code 1.1			N°				N°					N°			
Opp.	Indication	HH Action	Opp.	Indica	ation	HH Action	Opp.	Indi	cation	нн .	Action	Opp.	Ind	ication	HH Action
1	⊠bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	Мно	1	before b		HR HW O missed	1		oef-pat. oef-asept. aft-b.f. aft-pat. aft.p.surr.			1		bef-pat. bef-asept. aft-b. f. aft-pat. aft.p. surr.	HR HW O missed O gloves
2	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed	2	☐ bef- ☐ aft- ☐ aft-	f-pat. f-asept. ·b. f. ·pat. p. surr.	HR HW O missed O gloves	2		oef-pat. oef-asept. aft-b.f. aft-pat. aft.p.surr.			2		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	☐ HR ☐ HW O missed O gloves
3	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed	3	☐ bef- ☐ aft- ☐ aft-	f-pat. f-asept. ·b. f. ·pat. .p. surr.	HR HW O missed	3		oef-pat. oef-asept. aft-b.f. aft-pat. aft.p.surr.			3		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed O gloves



Observation Form: scenario 1c

☐ HR ☐ HW

O missed

O gloves

OD	servat	IOII FO		. 31	GEIIO	mo ic									
Facil	ity:	AIC Kijabe	Hospi	tal	Period	Number*:	1				Session Numb		1		
Serv	ice:	Surgery			Date: (dd/mm/	/y/)	05	/ 05	/ 09		Obser (initials		LB		
Ward	l:	Surgery B			Start/E (hh:mm)	nd time:	10	:00	/ 10 : 20		Page	N°:			
Depa	artment:	Surgical			Sessio (mm)	n duration	20				City**:	•	Kija	abe	
Cour	ntry**:	Kenya													
Prof.	cat Nurse/	Midwife	Prof.	cat			Prof.	cat				Prof.	cat		
Code			Code	•			Code	e -				Code	•		
N°	T		N°				N°					N°			
Opp.	Indication	HH Action	Opp.	Indi	cation	HH Action	Opp.	Ind	ication	НН	Action	Opp.	Ind	ication	HH Action
1	⊠bef-pat. ☐ bef-asept ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr	⊗ missed	1		oef-pat. oef-asept. oft-b.f. oft-pat. oft.p.surr.	☐ HR ☐ HW ○ missed ○ gloves	1		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.		HR HW missed) gloves	1		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed
	☐ bef-pat.	HR		□ b	ef-pat.	□ HR	2		bef-pat. bef-asept.		HR	2		bef-pat. bef-asept.	□HR



3

bef-asept.

aft.p.surr.

□ bef-pat.

aft-b.f.

aft-pat.

□ HR □ HW

O missed

O gloves

☐ bef-asept.

□ bef-pat.

aft-b.f.

aft-pat.

aft.p.surr.

☐ HR ☐ HW

O missed

O gloves

□ bef-pat.

aft-b.f.

aft-pat.

aft.p.surr.

bef-asept.

□ HR □ HW

O missed

O gloves

□ bef-pat.

aft-b.f.

☐ bef-asept.

aft-pat.

3

SCENARIO 2: Before clean/aseptic procedure 2a – Clean/aseptic procedure within care sequence

Content

- The nurse enters the room and places the instrument tray with the items ready for injection on the night table (last contact with the environment in the healthcare area)
- She performs hand hygiene by handrubbing (indication: before touching a patient)
- She helps the patient to bring his arm out from under the sheets (first patient contact)
- She moves the night table (contact with patient surroundings)
- She pours antiseptic onto the swabs

- She performs hand hygiene by handrubbing (indication: before clean/aseptic procedure)
- She opens the tap on the peripheral venous catheter, gives the injection and closes the tap again (aseptic task)

Key messages

The nurse has a first direct contact with the patient (she performs hand hygiene as indicated) and the patient surroundings; she then repeats the hand hygiene action before the clean/aseptic procedure to protect the patient from his own germs.



Observation Form: scenario 2a

Facility:	AIC Kijabe Hospital	Period Number*:	1	Session Number*:	2
Service:	Surgery	Date: (dd/mm/yy)	05 / 05 / 09	Observer: (initials)	LB
Ward:	Surgery B	Start/End time: (hh:mm)	10:20/10:35	Page N°:	
Department:	Surgical	Session duration: (mm)	15	City**:	Kijabe
Country**:	Kenya				

Prof.	cat Nurse/M	lidwife	Prof.	cat		Prof.	cat		Prof.	cat	
Code	1.1		Code	!		Code	2		Code		
N°	1		N°			N°			N°		
Opp.	Indication	HH Action	Opp.	Indication	HH Action	Opp.	Indication	HH Action	Opp.	Indication	HH Action
1	⊠bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	✓ HR☐ HW○ missed○ gloves	1	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed	1	bef-pat. bef-asept aft-b.f. aft-pat. aft.p.surr.	O missed	1	│ bef-pat. │ bef-asept. │ aft-b.f. │ aft-pat. │ aft.p.surr.	HR HW O missed
2	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	✓ HR☐ HWO missedO gloves	2	□ bef-pat. □ bef-asept. □ aft-b.f. □ aft-pat. □ aft.p.surr.	HR HW O missed	2	□ bef-pat. □ bef-asept □ aft-b.f. □ aft-pat. □ aft.p.surr.	HR HW O missed	2	bef-pat. bef-asept. aft-b. f. aft-pat. aft.p.surr.	HR HW O missed O gloves
3	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed	3	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed O gloves	3	bef-pat. bef-asept aft-b.f. aft-pat. aft.p.surr.	O missed	3	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed O gloves



SCENARIO 2: Before clean/aseptic procedure 2b – Clean/aseptic procedure only

Content

- The nurse enters the room and places the instrument tray with the items ready for injection on the night table (last contact with the environment in the healthcare area)
- The patient is lying in bed asleep with a peripheral venous catheter on his arm directly accessible to the nurse
- She pours the antiseptic onto the swabs
- She performs hand hygiene by handrubbing (indication: before clean/aseptic procedure)

She opens the tap on the peripheral venous catheter, gives the injection and closes the tap again (clean/aseptic procedure without direct patient contact)

Key messages

The clean/aseptic procedure is the very first and unique indication in this scenario. The nurse has no direct contact with the patient.



Observation Form: scenario 2b

Facility:	AIC Kijabe Hospital	Period Number*:	1	Session Number*:	2
Service:	Surgery	Date: (dd/mm/yy)	05 / 05 / 09	Observer: (initials)	LB
Ward:	Surgery B	Start/End time: (hh:mm)	10:20/10:35	Page N°:	
Department:	Surgical	Session duration: (mm)	15	City**:	Kijabe
Country**:	Kenya				

D 6	4 K1 26	41.1.1.10	D6	4		D 6	4			D 6	4	
Prof.	cat Nurse/N	lidwife	Prof.			Prof.				Prof.	cat	
Code	1.1		Code			Code	9			Code		
N°	1		N°			N°				N°		
Opp.	Indication	HH Action	Opp.	Indication	HH Action	Opp.	Indi	cation	HH Action	Opp.	Indication	HH Action
1	□bef-pat. ■ bef-asept. □ aft-b.f. □ aft-pat. □ aft.p.surr.	✓ HR☐ HW○ missed○ gloves	1	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed	1		ef-pat. ef-asept. ft-b.f. ft-pat. ft.p.surr.	☐ HR ☐ HW O missed O gloves	1	☐ bef-pat.☐ bef-asept.☐ aft-b.f.☐ aft-pat.☐ aft.p.surr.	HR HW O missed
2	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed	2	│ bef-pat. │ bef-asept. │ aft-b.f. │ aft-pat. │ aft.p.surr.	HR HW O missed	2		ef-pat. ef-asept. ft-b. f. ft-pat. ft.p.surr.	☐ HR ☐ HW ○ missed ○ gloves	2	☐ bef-pat.☐ bef-asept.☐ aft-b.f.☐ aft-pat.☐ aft.p.surr.	☐ HR ☐ HW ○ missed ○ gloves
3	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed	3	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed	3		ef-pat. ef-asept. ft-b. f. ft-pat. ft.p.surr.	HR HW O missed O gloves	3	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed O gloves
							-	_				



SCENARIO 3: After body fluid exposure risk 3a – After body fluid exposure risk within a care sequence (missed)

Content

- The nurse is drawing a blood sample (blood exposure risk)
- When she finishes, she removes the tourniquet, puts a plaster on the puncture site and puts the equipment together on the tray (continuing blood exposure risk)
- She takes off her gloves and throws them into the bin (continuing blood exposure risk)
- Hand hygiene action missed (indication: after body fluid exposure risk)
- She takes the patient's pulse (next patient contact)

Key messages

- Hand hygiene must be performed immediately after body fluid exposure risk, before touching either the patient again or any surface and object within the patient's surroundings or care environment, to prevent potential dissemination of germs.
- Any care activity implying contact with body fluids constitutes a risk because exposure may not be visible but may have happened.



Observation Form: scenario 3a

	~ D	SCI Vac			-31	GCIIO	iiio oa									
	Facili	ty:	AIC Kijabe	Hospit	tal	Period	Number*:	1				essio lumbo		3		
	Servi	ice:	Surgery			Date: (dd/mm/	/y/)	05	/ 05	/ 09		bser nitials)		LB		
	Ward	:	Surgery B			Start/E (hh:mm)	nd time:	10	: 35	/ 10 : 55	Р	age l	۷°:			
	Depa	rtment:	Surgical			Sessio (mm)	n duration	20			С	ity**:		Kija	abe	
	_		Kenya													
+	Prof.	cat Nurse/N	Vidwife	Prof.	cat			Prof.	cat				Prof.	cat		
İ	Code			Code	<u> </u>			Code	9				Code	;		
	N°	1		N°				N°					N°			
	Opp.	Indication	HH Action	Opp.	Indi	ication	HH Action	Opp.	Indi	cation	HH Ac	ction	Opp.	Ind	ication	HH Action
	1	□bef-pat. □ bef-asept. ☑ aft-b.f. □ aft-pat. □ aft.p.surr.	⊗ missed	1		oef-pat. oef-asept. aft-b.f. aft-pat. aft.p.surr.	☐ HR ☐ HW O missed O gloves	1		oef-pat. oef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HV O mis	V ssed	1		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	☐ HR ☐ HW ○ missed ○ gloves
		☐ hef-nat			Пь	nef-nat			П	nef-nat				П	hef-pat.	



SCENARIO 3: After body fluid exposure risk 3b – After body fluid exposure risk within a care sequence (100% compliance)

Content

- The nurse is drawing a blood sample (blood exposure risk)
- When she finishes, she removes the tourniquet, puts a plaster on the puncture site and puts the equipment together on the tray (continuing blood exposure risk)
- She takes off her gloves and throws them into the bin (continuing blood exposure risk)

- She performs hand hygiene (handrubbing)
- She takes the patient's pulse (next patient contact)

Key messages

The nurse performs correct and timely handrubbing immediately after body fluid exposure risk; her hands are not visibly soiled and she does not need to handwash



Observation Form: scenario 3b

			011110			00110										
Facili	ity:		AIC Kijabe	Hospi	tal	Period	Number*:	1				Session Numb		3		
Servi	ice:		Surgery			Date: (dd/mm/	vy)	05	/ 05	/ 09		Obser (initials)		LB		
Ward	l:		Surgery B			Start/E (hh:mm)	nd time:	10	: 35	/ 10 : 55		Page I	N°:			
Depa	ırtm	ent:	Surgical			Sessio (mm)	n duration	20				City**:		Kij	abe	
Coun	ıtry*	*:	Kenya													
Prof.	cat	Nurse/N	/lidwife	Prof.	cat			Prof	.cat				Prof.	cat		
Code		1.1		Code				Code					Code			
N°		T		N°				N°					N°			
Opp.	Ind	ication	HH Action	Opp.	Indi	cation	HH Action	Opp.	Indi	ication	НН	Action	Opp.	Ind	lication	HH Action
1	🗆 I	ef-pat. oef-asept. aft-b.f.	⊠ HR □ HW	1	□ Ł	oef-pat. oef-asept. aft-b. f.	□ HR □ HW	1	□ Ł	oef-pat. oef-asept. aft-b. f.		HR HW	1		bef-pat. bef-asept. aft-b.f.	HR HW

Code	1.1		Code			Code	•		Code		
N°	T		N°			N°			N°		
Opp.	Indication	HH Action	Opp.	Indication	HH Action	Opp.	Indication	HH Action	Opp.	Indication	HH Action
1	□bef-pat. □ bef-asept. ☑ aft-b.f. □ aft-pat. □ aft.p.surr.	✓ HR☐ HW○ missed○ gloves	1	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	HR HW O missed	1	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed	1	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	HR HW o missed gloves
2	☐ bef-pat. ☐ bef-asept. ☐ aft-b. f. ☐ aft-pat. ☐ aft.p.surr.	☐ HR ☐ HW O missed O gloves	2	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	O missed	2	│ bef-pat. │ bef-asept. │ aft-b.f. │ aft-pat. │ aft.p.surr.	O missed	2	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	☐ HR ☐ HW ○ missed ○ gloves
3	bef-pat. bef-asept. aft-b.f. aft-pat.	HR HW O missed	3	bef-pat. bef-asept. aft-b.f. aft-pat.	☐ HR ☐ HW O missed O gloves	3	bef-pat. bef-asept. aft-b.f. aft-pat.	☐ HR ☐ HW O missed O gloves	3	bef-pat. bef-asept. aft-b.f. aft-pat.	HR HW O missed O gloves



SCENARIO 3: After body fluid exposure risk 3c – After body fluid exposure risk (handwashing)

Content

- The nurse is drawing a blood sample (blood exposure risk)
- When she finishes, she removes the tourniquet and puts a plaster on the puncture site (continuing blood exposure risk)
- She gathers up the equipment, goes to the washbasin and throws the waste items into the bin (continuing blood exposure risk)
- She removes her gloves and throws them into the bin (continuing blood exposure risk)

She washes her hands with soap and water (after body fluid risk exposure and after touching a patient)

Key messages

- The nurse performs correct and timely hand hygiene after body fluid exposure risk and after the last patient contact (two indications which correspond to one single opportunity that requires one single hand hygiene action).
- She performs hand hygiene by handwashing. Handwashing with soap and water is recommended when hands are visibly soiled.



⊕Observation Form: scenario 3c

				_												
Faci	lity:	AIC Kijabe	Hospit	tal	Period	Number*:	1				Session Numb		4			
Serv	rice:	Surgery			Date: (dd/mm/	(yy)	05	/ 05	/ 09		Obser (initials)		LB			
Ware	d:	Surgery B			Start/E (hh:mm)	ind time:	10	: 55	/ 11 : 15		Page I	N°:				
Dep	artment:	Surgical			Sessio (mm)	n duration	20				City**:		Kija	abe		
Cou	ntry**:	Kenya														
Prof	.cat Nurse/I	Vidwife	Prof.	cat			Prof.	cat				Prof.	cat			
Cod			Code	:			Code	•				Code	•			1
N°	1		N°				N°					N°				1
Opp.	Indication	HH Action	Opp.	Indi	cation	HH Action	Opp.	Ind	ication	НН	Action	Opp.	Ind	ication	HH Action	1
1	□ bef-pat. □ bef-asept ☑ aft-b.f. ☑ aft-pat. □ aft.p.surr.	O missed	1	□ b □ a □ a	ef-pat. ef-asept. ft-b.f. ft-pat. ft.p.surr.	☐ HR ☐ HW ○ missed ○ gloves	1		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.		HR HWV missed) gloves	1		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	☐ HR ☐ HW ○ missed ○ gloves	
2	bef-pat. bef-asept aft-b.f. aft-pat. aft.p.surr.	O missed	2	□ b □ a □ a	ef-pat. ef-asept. ft-b. f. ft-pat. ft.p.surr.	HR HW O missed O gloves	2		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.		HR HVV missed) gloves	2		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed	
3	bef-pat. bef-asept aft-b.f. aft-pat. aft.p.surr.	O missed	3	□ b □ a □ a	ef-pat. ef-asept. ft-b. f. ft-pat. ft.p.surr.	HR HW O missed O gloves	3		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.		HR HWV missed) gloves	3		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed	



SCENARIO 4: After touching a patient

Content

- The nurse takes the patient's blood pressure (last patient contact)
- She leaves the patient and goes to a trolley with the patient chart (no contact)
- She performs hand hygiene (handrubbing)
- She writes in the file on the trolley and then leaves the room with the trolley (first contact with the environment in the healthcare area)

Key messages

The trolley is not part of the patient surroundings, therefore hand hygiene is performed after patient contact, before touching the chart and the trolley.



Observation Form: scenario 4

Facility:	AIC Kijabe Hospital	Period Number*:	1	Session Number*:	4
Service:	Surgery	Date: (dd/mm/yy)	05 / 05 / 09	Observer: (initials)	LB
Ward:	Surgery B	Start/End time: (hh:mm)	10:55/11:15	Page N°:	
Department:	Surgical	Session duration: (mm)	20	City**:	Kijabe
Country**:	Kenya				
<u>+</u>					

Ŧ												
	Prof.	cat Nurse/N	/lidwife	Prof.	cat		Prof.	cat		Prof.	cat	
	Code	1.1		Code	•		Code	2		Code		
	N°			N°			N°			N°		
	Opp.	Indication	HH Action	Opp.	Indication	HH Action	Opp.	Indication	HH Action	Opp.	Indication	HH Action
	1	□bef-pat. □ bef-asept. □ aft-b.f. ☑ aft-pat. □ aft.p.surr.	O missed	1	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	O missed	1	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	☐ HR ☐ HW ○ missed ○ gloves	1	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	☐ HR ☐ HW ○ missed ○ gloves
	2	□ bef-pat. □ bef-asept. □ aft-b.f. □ aft-pat. □ aft.p.surr.	HR HW O missed	2	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	O missed	2	□ bef-pat. □ bef-asept. □ aft-b.f. □ aft-pat. □ aft.p.surr.	HR HW O missed O gloves	2	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed
	3	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	O missed	3	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	O missed	3	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed	3	bef-pat. bef-asept. aft-b. f. aft-pat. aft.p.surr.	HR HW O missed



SCENARIO 5: After touching patient surroundings 5a – Patient surroundings

Content

- The nurse auxiliary enters the room with a trolley
- She tidies up the night table (picks up empty bottle and glass) and cleans the table top
- She places a bottle of water and a clean glass on the table (patient surroundings)

- She performs hand hygiene (handrubbing)
- She leaves the room with the trolley

Key messages

There is no contact with the patient, but hand hygiene must still be performed after contact with objects and surfaces in the patient's surroundings.



Observation Form: scenario 5a

Facility:	AIC Kijabe Hospital	Period Number*:	1	Session Number*:	5
Service:	Surgery	Date: (dd/mm/yy)	05 / 05 / 09	Observer: (initials)	LB
Ward:	Surgery B	Start/End time: (hh:mm)	10:15/11:30	Page N°:	
Department:	Surgical	Session duration: (mm)	15	City**:	Kijabe
Country**:	Kenya				
	Durf and		D £ 4	D6	

1	Prof.	cat Auxiliary	/	Prof.	cat		Prof.	cat		Prof.	at	
	Code	2		Code			Code	•		Code		
	N°	1		N°			N°			N°		
	Opp.	Indication	HH Action	Opp.	Indication	HH Action	Opp.	Indication	HH Action	Opp.	Indication	HH Action
	1	□bef-pat. □ bef-asept. □ aft-b.f. □ aft-pat. ☑ aft.p.surr.	✓ HR☐ HW○ missed○ gloves	1	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	O missed	1	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed	1	│ bef-pat. │ bef-asept. │ aft-b.f. │ aft-pat. │ aft.p.surr.	HR HW o missed
	2	□ bef-pat. □ bef-asept. □ aft-b.f. □ aft-pat. □ aft.p.surr.	HR HW O missed	2	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	O missed	2	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	O missed	2	☐ bef-pat. ☐ bef-asept. ☐ aft-b. f. ☐ aft-pat. ☐ aft.p.surr.	☐ HR ☐ HW ○ missed ○ gloves
	3	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	HR HW O missed O gloves	3	□ bef-pat. □ bef-asept. □ aft-b.f. □ aft-pat. □ aft.p.surr.	HR HW O missed O gloves	3	□ bef-pat. □ bef-asept. □ aft-b.f. □ aft-pat. □ aft.p.surr.	O missed	3	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	☐ HR ☐ HW O missed ○ gloves



SCENARIO 5: After touching patient surroundings 5b – Not patient surroundings!

Content

- The nurse auxiliary enters the room with a trolley
- The patient asks for a glass of water and the nurse auxiliary pours water into the glass (patient surroundings)
- She performs hand hygiene (handrubbing; indication: before touching a patient)
- She helps the patient to sit up in bed (first patient contact)

- She gives the glass to the patient who drinks some water and then hands the glass back
- The nurse auxiliary tidies up the night table (picks up empty bottle and glass)
- She cleans the table top and puts a bottle and a clean glass on the table
- She performs hand hygiene (handrubbing; indication: after touching a patient)
- She leaves the room with trolley



SCENARIO 5: After touching patient surroundings 5b – Not patient surroundings!

Key messages

- The scenario is similar to 5a. However, even if the nurse auxiliary has no initial intention to touch the patient, she must perform hand hygiene when the situation implies a direct contact.
- Since the nurse auxiliary had a contact with the patient, the next indication is no longer after touching patient surroundings, but after touching the patient.

Observation Form: scenario 5b

	Facili	ty:	AIC Kijabe	Hospi	tal Period	Number*:	1			Sess Numl		5	
	Servi	ce:	Surgery		Date: (dd/mm/	(yy)	05 .	/ 05	/ 09	Obse (initial:		LB	
	Ward	:	Surgery B		Start/E (hh:mm)	nd time:	11	: 15 /	11:30	Page	N°:		
	Depa	rtment:	Surgical		Sessio (mm)	n duration	15			City**	:	Kijabe	
	Coun	itry**:	Kenya										
#	Prof.	cat Auxilian	V	Prof.	cat		Prof.	cat			Prof.	cat	
	Code		,	Code	:		Code	2			Code	•	
	N°	I		N°			N°				N°		
	Opp.	Indication	HH Action	Opp.	Indication	HH Action	Opp.		cation	HH Action	Opp.	Indication	HH Action
	1	⊠bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr	O missed	1	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	☐ HR ☐ HW O missed O gloves	1	☐ be ☐ af ☐ af	ef-pat. ef-asept. ft-b.f. ft-pat. ft.p.surr.	☐ HR ☐ HW O missed ○ gloves	1	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	☐ HR ☐ HW O missed O gloves
	2	□ bef-pat. □ bef-asept. □ aft-b.f. ☑ aft-pat. □ aft.p.surr.	HR HW O missed	2	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	☐ HR ☐ HW ○ missed ○ gloves	2	□ be □ af □ af	ef-pat. ef-asept. ft-b.f. ft-pat. ft.p.surr.	☐ HR ☐ HW ○ missed ○ gloves	2	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	☐ HR ☐ HW ○ missed ○ gloves
	3	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed	3	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed O gloves	3	□ be □ af □ af	ef-pat. ef-asept. ft-b. f. ft-pat. ft.p.surr.	☐ HR ☐ HW ○ missed ○ gloves	3	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed O gloves



SCENARIO 6: Care sequence break 6a – Care sequence break (missed)

Content

- The doctor enters the room and goes towards the patient
- While entering, she performs hand hygiene (handrubbing; indication: before touching a patient)
- She shakes the patient's hand and examines his knee
- The pager beeps, the doctor excuses herself and leaves the room to answer the phone in the corridor (hand hygiene action missed; indication: after touching a patient)
- The doctor comes back through the open door
- She carries on with the physical examination (hand hygiene action missed; indication: before touching a patient)



SCENARIO 6: Care sequence break 6a – Care sequence break (missed)

Key messages

A care sequence break occurs (the doctor answering the phone in the corridor, outside the patient's surroundings). Therefore, she should perform hand hygiene after leaving the patient (to prevent transmission of germs from the patient to the health-care environment) and before touching the patient again (to prevent transmission of germs from the environment in the health-care area to the patient).

 These care breaks should be avoided as much as possible.

Observation Form: scenario 6a

Facility:	AIC Kijabe Hospital	Period Number*:	1	Session Number*:	6
Service:	Surgery	Date: (dd/mm/yy)	05 / 05 / 09	Observer: (initials)	LB
Ward:	Surgery B	Start/End time: (hh:mm)	11 : 35 / 11 : 55	Page N°:	
Department:	Surgical	Session duration: (mm)	20	City**:	Kijabe
Country**:	Kenya				

Prof.	cat Medical	doctor	Prof.	cat		Prof.	.cat			Prof.	cat	
Code	3.2		Code			Code	e			Code	!	
N°	I		N°			N°				N°		
Opp.	Indication	HH Action	Opp.	Indication	HH Action	Opp.	India	cation	HH Action	Opp.	Indication	HH Action
1	⊠bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	✓ HR☐ HW○ missed○ gloves	1	☐ bef-pat. ☐ bef-asep ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.sur	O missed	1	□ bi □ at □ at	ef-pat. ef-asept. ft-b.f. ft-pat. ft.p.surr.	☐ HR ☐ HW O missed O gloves	1	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed
2	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☑ aft-pat. ☐ aft.p.surr.	HR HW smissed	2	☐ bef-pat.☐ bef-asep☐ aft-b.f.☐ aft-pat.☐ aft.p.sur	O missed	2	☐ bi	ef-pat. ef-asept. ft-b.f. ft-pat. ft.p.surr.	HR HW missed gloves	2	bef-pat. bef-asept. aft-b. f. aft-pat. aft.p.surr.	HR HW O missed O gloves
3	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	☐ HR☐ HW ⊗ missed ○ gloves	3	bef-pat. bef-asep aft-b.f. aft-pat. aft.p.sur	O missed	3	☐ bi	ef-pat. ef-asept. ft-b.f. ft-pat. ft.p.surr.	HR HW O missed	3	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	HR HW O missed O gloves



SCENARIO 6: Care sequence break 6b – Care sequence break (100% compliance)

Content

- The doctor enters the room and goes towards the patient
- While entering she performs hand hygiene by handrubbing (indication: before touching a patient)
- She shakes the patient's hand and examines his knee
- The pager beeps, the doctor excuses herself to answer the phone
- She leaves the room while performing hand hygiene by

- handrubbing (indication: after touching a patient)
- The doctor comes back through the open door while performing hand hygiene by handrubbing (indication: before touching a patient)
- She carries on with the physical examination

Key messages

 Same sequence as 6a, but with correctly performed hand hygiene (100% compliance)



Observation Form: scenario 6b

Facil	ity:	AIC Kijabe	Hospi	tal Peri	od Number*:	1			Numb	er*:	6		
Serv	ice:	Surgery		Date (dd/n	e: nm/yy)	05	/ 05	7 09	Obser (initials		LB		
Ward	l:	Surgery B		Star (hh:n	t/End time: nm)	11	: 35	/ 11 : 55	Page	N°:			
Depa	artment:	Surgical		Ses (mm)	sion duration	n: 20			City**:		Kijabe		
Cour	ntry**:	Kenya											
Prof.	cat Medica	l doctor	Prof.	cat		Prof	cat			Prof.	cat		
Code			Code	,		Cod	e			Code	•		
N°	T		N°			N°				N°			
Opp.	Indication	HH Action	Opp.	Indication	n HH Action	Opp.	Indi	ication	HH Action	Opp.	Indicatio	n	HH Action
1	⊠bef-pat. ☐ bef-asept ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr	O missed	1	bef-pat bef-aso aft-b.f. aft-pat aft.p.so	ept. HW O missed	1		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	☐ HR ☐ HW ○ missed ○ gloves	1	bef-pa bef-as aft-b.f aft-pa aft.p.s	sept. t.	☐ HR ☐ HW ○ missed ○ gloves
2	bef-pat. bef-asept aft-b.f. aft-pat. aft.p.surr.	O missed	2	bef-pat bef-aso aft-b.f. aft-pat aft.p.so	ept. HW O missed	2		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed	2	bef-pa bef-as aft-b.f aft-pa aft.p.s	sept. t.	HR HW O missed
3	⊠ bef-pat. □ bef-asept	⊠ HR	3	□ bef-pat		3		pef-pat. bef-asept.	□ HR	3	☐ bef-pa		□ HR



aft-b.f.

aft-pat.

aft.p.surr.

□ HW

O missed

Ogloves

aft-b.f.

aft-pat.

aft.p.surr.

□ HW

O missed

Ogloves

☐ HW

O missed

O gloves

aft-b.f.

aft-pat.

aft.p.surr.

□ HW

O missed

O gloves

aft-b.f.

aft-pat.

SCENARIO 7: Between patients 7a – Between patients (missed)

Content

- The doctor examines patient X
- When finished, he leaves the patient and shakes his hand
- Hand hygiene action missed (indications: after touching a patient and before touching a patient)
- He approaches patient Y and greets her by shaking her hand

Key messages

Two indications occur (after touching a patient and before touching a patient) and correspond to one single opportunity that requires one single hand hygiene action.



Observation Form: scenario 7a

	Facili	ty:	AIC Kijabe	Hospit	tal	Period	Number*:	1				Sessio Numb		7		
	Servi	ce:	Surgery			Date: (dd/mm/	vy)	05 /	05	/ 09		Obser initials)		LE	3	
	Ward	:	Surgery B			Start/E (hh:mm)	nd time:	12	05	/ 12 : 25	ı	Page I	N°:			
	Depa	rtment:	Surgical			Sessio (mm)	n duration:	20			•	City**:		K	ijabe	
	Coun	try**:	Kenya													
#	Prof.	cat Medical	doctor	Prof.	cat			Prof.	cat				Prof.	cat		
	Code		doctor	Code				Code					Code		•	
	N°	1		N°				N°					N°			
	Opp.	Indication	HH Action	Opp.	Indi	cation	HH Action	Opp.	Indi	cation	HH A	ction	Opp.	In	dication	HH Action
	1	⊠bef-pat. ☐ bef-asept. ☐ aft-b.f. ☑ aft-pat. ☐ aft.p.surr	⊠ missed	1	□ b	oef-pat. oef-asept. oft-b.f. oft-pat. oft.p.surr.	HR HW O missed O gloves	1		oef-pat. oef-asept. aft-b.f. aft-pat. aft.p.surr.			1			HR HW O missed O gloves
	2	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed	2	□ b □ a □ a	oef-pat. oef-asept. off-b.f. off-pat. off.p.surr.	HR HW O missed O gloves	2		pef-pat. pef-asept. aft-b.f. aft-pat. aft.p.surr.	0 m		2		bef-asept. aft-b.f.	HR HW O missed O gloves
	3	bef-pat. bef-asept. aft-b.f. aft-pat.	O missed	3	b	oef-pat. oef-asept. off-b.f. off-pat. off.p.surr.	HR HW O missed	3		pef-pat. pef-asept. aft-b.f. aft-pat. aft.p.surr.			3		bef-asept. aft-b.f. aft-pat.	HR HW O missed



SCENARIO 7: Between patients 7b – Between patients (100% compliance)

Content

- The doctor examines patient X
- When finished, he leaves the patient and shakes his hand
- He performs hand hygiene by handrubbing (indications: after touching a patient and before touching a patient)
- He approaches patient Y and greets her by shaking her hand

Key messages

 Same sequence as 7a, but with properly performed hand hygiene (100% compliance).



Observation Form: scenario 7b

	Facili	ty:	AIC Kijabe	Hospi	tal Period	Number*:	1		Session Numb		7	
	Servi	ce:	Surgery		Date: (dd/mm/	(yy)	05 .	/ 05 / 09	Obser (initials)		LB	
	Ward	:	Surgery B		Start/E (hh:mm)	ind time:	12	: 05 / 12 : 25	Page	N°:		
	Depa	rtment:	Surgical		Sessio (mm)	n duration	20		City**:		Kijabe	
	Coun	itry**:	Kenya									
#	Prof.	cat Medical	doctor	Prof.	cat		Prof.	cat		Prof.	cat	
	Code N°	3.2		Code N°	•		Code N°	9		Code N°	!	
	Орр.	Indication	HH Action		Indication	HH Action		Indication	HH Action	Орр.	Indication	HH Action
	1	⊠bef-pat. ☐ bef-asept. ☐ aft-b.f. ☑ aft-pat. ☐ aft.p.surr.	on HH Action Opp. Incat. sept. HR		□ bef-pat. □ bef-asept. □ aft-b.f.		1	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.		1	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	HR HW O missed
	2	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed	2	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed	2	□ bef-pat. □ bef-asept. □ aft-b.f. □ aft-pat. □ aft.p.surr.	HR HW O missed	2	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed O gloves
	3	□ bef-pat. □ bef-asept. □ aft-b.f. □ aft-pat. □ aft.p.surr.	HR HW O missed	3	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed	3	□ bef-pat. □ bef-asept. □ aft-b.f. □ aft-pat. □ aft.p.surr.	HR HW O missed	3	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed O gloves



SCENARIO 8: Physical examination 8a – Physical examination (missed)

Content

- The doctor is beside the patient and listens to his heartbeat
- The nurse comes into the room with a trolley
- She performs hand hygiene by handrubbing (indication: "before touching a patient")
- The nurse helps the doctor to prop the patient up in bed
- The doctor examines the patient's lungs

- The doctor asks the nurse to hand her the examination equipment
- Hand hygiene action missed (indication: "before clean/aseptic procedure")
- She puts on gloves to examine the patient's mouth using a spatula and a pen torch
- She helps the patient to open his mouth and examines the mucous membrane (contact with mucous membrane)



SCENARIO 8: Physical examination 8a – Physical examination (missed)

Content

- Some saliva drips and the doctor wipes away the saliva (body fluid exposure)
- The nurse performs hand hygiene by handrubbing (additional hand hygiene action, unnecessary)
- The doctor completes her examination
- She throws the wipes and spatula into a bag and takes off her gloves and throws them into the same bag
- Hand hygiene action missed (indication: "after body fluid exposure risk")
- The nurse lowers the head of the bed

- The doctor palpates the patient's abdomen
- The doctor performs hand hygiene by handrubbing (indication: after touching a patient)
- She leaves the patient
- The nurse tidies up the patient's sheets and removes the instrument tray
- She puts it down by the washbasin then leaves room
- Hand hygiene action missed (indication: "after touching a patient")

Key message: the care procedure shown in this scenario takes place in a single room; thus when leaving, both health-care workers are moving from the patient zone to the health-care area.



Observation Form: scenario 8a

	Facili	ty:	AIC Kijabe	Hospi	tal	Period	Number*:	1				Session Number		8		
	Servi	ce:	Neurology			Date: (dd/mm/	/y)	05	/ 05	/ 09		Obser (initials)		LB		
	Ward	:	Neurology	A		Start/E (hh:mm)	nd time:	12	: 25	/ 12 : 45		Page I	N°:			
	Depa	rtment:	Medical			Sessio (mm)	n duration:	20				City**:		Kij	abe	
1	Coun	try**:	Kenya			l										
1	Prof.	cat Nurse/N	Midwife	Prof.	cat	Medica	l doctor	Prof	cat				Prof.	cat		
	Code			Code	•	3.2		Code	е				Code	:		
	N°	1		N°		1		N°					N°			
	Opp.	Indication	HH Action	Opp.		cation	HH Action	Opp.		ication	HH.	Action	Opp.	Ind	ication	HH Action
	1	⊠bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	O missed	1	⊠ bo □ at □ at	ef-pat. ef-asept. ft-b.f. ft-pat. ft.p.surr.	☐ HR ☐ HW ⊗ missed ○ gloves	1		oef-pat. oef-asept. aft-b. f. aft-pat. aft.p. surr.			1		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	☐ HR ☐ HW ○ missed ○ gloves
	2	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☑ aft-pat. ☐ aft.p.surr.	HR HW S missed	2	□ b ⊠ af □ a	ef-pat. ef-asept. ft-b.f. ft-pat. ft.p.surr.	HR HW missed gloves	2		oef-pat. oef-asept. aft-b.f. aft-pat. aft.p.surr.	O r		2		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed O gloves
	3	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed	3	☐ bi☐ at	ef-pat. ef-asept. ft-b.f. ft-pat. ft.p.surr.	✓ HR☐ HWO missedO gloves	3		oef-pat. oef-asept. aft-b.f. aft-pat. aft.p.surr.		HR HW missed	3		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed O gloves



SCENARIO 8: Physical examination 8b – Physical examination (100% compliance)

Content

- The doctor is beside the patient and listens to his heartbeat
- The nurse comes into the room with a trolley
- She performs hand hygiene by handrubbing (indication: before touching a patient)
- The nurse helps the doctor to prop the patient up in bed
- The doctor examines the patient's lungs
- The doctor asks the nurse to hand her the examination equipment
- She performs hand hygiene by handrubbing (indication: before clean/aseptic procedure)

- She puts on gloves to examine the patient's mouth using a spatula and a pen torch
- She helps the patient to open his mouth and examines the mucous membrane (contact with mucous membrane)
- Some saliva drips and the doctor wipes away the saliva (body fluid exposure)
- She completes her examination
- She throws the wipes and spatula into a bag and takes off her gloves and throws them into the same bag
- She performs hand hygiene by handrubbing (indication: after body fluid exposure risk)



SCENARIO 8: Physical examination 8b – Physical examination (100% compliance)

Content

- The nurse lowers the head of the bed
- The doctor palpates the patient's abdomen
- The doctor performs hand hygiene by handrubbing (indication: after touching a patient)
- She leaves the patient
- The nurse tidies up the patient's sheets and removes the instrument tray

- She puts it down near the washbasin
- She performs hand hygiene by handrubbing (indication: after touching a patient)
- She leaves the room

Key messages

 Same sequence as 8a, but with correctly performed hand hygiene (100% compliance)

Key message: the care procedure shown in this scenario takes place in a single-room; thus when leaving both health-care workers are moving from the patient zone to the health-care area.



Observation Form: scenario 8b

	Facili	ty:	AIC Kijabe	Hospi	tal	Period	Number*:	1				Session Numb		8		
,	Servi	ce:	Neurology			Date: (dd/mm/	/y)	05	/ 05	/ 09		Obser (initials)		LB		
	Ward	:	Neurology	A		Start/E (hh:mm)	nd time:	12	: 25	/ 12 : 45		Page	N°:			
	Depa	rtment:	Medical			Sessio (mm)	n duration:	20				City**:		Kija	abe	
	Coun	try**:	Kenya													
#	Prof.	cat Nurse/N	/lidwife	Prof.	cat	Medica	l doctor	Prof	cat				Prof.	cat		
	Code	1.1		Code	•	3.2		Code	9				Code)		
	N°	Indication	HH Action	N°	1	cation	HH Action	N°	11	cation		Action	N°	11	ication	HH Action
	Opp.	⊠bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr		Opp.	□ b ⊠ b □ a	ef-pat. ef-asept. ift-b.f. ift-pat. ift.p.surr.	⊠ un	Орр. 1		pef-pat. pef-asept. aft-b.f. aft-pat. aft.p.surr.	000		Орр. 1		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed
	2	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☑ aft-pat. ☐ aft.p.surr.	✓ HR☐ HWO missedO gloves	2	□ b <mark>⊠</mark> a □ a	ef-pat. ef-asept. ft-b.f. ift-pat. ift.p.surr.	HR HW O missed	2		oef-pat. oef-asept. aft-b.f. aft-pat. aft.p.surr.			2		bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed O gloves
	3	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed	3	□ b □ a ⊠ a	ef-pat. ef-asept. ift-b.f. ft-pat. ift.p.surr.	✓ HR☐ HWO missedO gloves	3		oef-pat. oef-asept. aft-b.f. aft-pat. aft.p.surr.		HR HWV missed) gloves	3		bef-pat. bef-asept. aft-b. f. aft-pat. aft.p.surr.	HR HW O missed O gloves



SCENARIO 9: Arterial puncture

Content

- The nurse adjusts the patient's oxygen flow, places the patient in a semi-recumbent position, and calls the doctor
- The doctor comes into the room through an open door, assesses the patient's condition and decides to draw an arterial sample
- She explains the procedure to the patient while feeling for the radial artery on the right arm
- The nurse then places a protective cover under the right wrist
- Both the nurse and the doctor perform hand hygiene by handrubbing (indication: before clean/aseptic procedure)
- The nurse opens the pack of sterile swabs and pours the antiseptic solution

- She opens the pack containing the syringe
- The doctor disinfects the puncture site; when finished, she puts on gloves
- She takes the sample and then places a swab on the puncture site
- She asks the patient to press on the artery
- She puts the needle in the sharp box, places a cover on the syringe, and hands it to the nurse
- The nurse leaves the room but cannot be observed
- The doctor applies a compression dressing



SCENARIO 9: Arterial puncture

Content

- She takes used material and tray and goes to the sink where she throws away some material in the bin
- She takes off her gloves
- She performs hand hygiene by handwashing (indication: after body fluid exposure risk and after touching a patient)

Key messages

After touching the patient, the nurse leaves the patient room to call the doctor. But whether or not an indication for a hand hygiene action occurs cannot be observed.

- The doctor enters the room through the open door and touches the patient without performing hand hygiene. Since it cannot be observed whether she had performed hand hygiene before entering the room, a missed hand hygiene action should not be recorded.
- Subsequently, she correctly performs hand hygiene before (clean/aseptic procedure) and after (body fluid exposure risk and touching the patient) the arterial puncture.
- The nurse leaves the room while carrying a tray belonging to the patient's surroundings. No indication can be observed, thus no action should be recorded.



Observation Form: scenario 9

Facility:	AIC Kijabe Hospital	Period Number*:	1	Session Number*:	9
Service:	Obstetrics	Date: (dd/mm/yy)	05 / 05 / 09	Observer: (initials)	LB
Ward:	Obs A	Start/End time: (hh:mm)	12:45/13:05	Page N°:	
Department:	Mixt	Session duration: (mm)	20	City**:	Kijabe
Country**:	Kenya				

Prof.	cat Medical	doctor	Prof.	cat Nurse	'Midwife	Prof.	cat		Prof.	cat	
Code	3.2		Code	1.2		Code	9		Code	!	
N°	1		N°	1		N°			N°		
Opp.	Indication	HH Action	Opp.	Indication	HH Action	Opp.	Indication	HH Action	Opp.	Indication	HH Action
1	☐ bef-pat. ☑ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	✓ HR☐ HW○ missed○ gloves	1	□ bef-pat. □ bef-asept □ aft-b.f. □ aft-pat. □ aft.p.surr	O missed	1	bef-pat. bef-asept aft-b.f. aft-pat. aft.p.surr.	O missed	1	☐ bef-pat.☐ bef-asept.☐ aft-b.f.☐ aft-pat.☐ aft.p.surr.	HR HW O missed
2	☐ bef-pat. ☐ bef-asept. ☒ aft-b.f. ☒ aft-pat. ☐ aft.p.surr.	☐ HR ☑ HW ○ missed ○ gloves	2	bef-pat. bef-asept aft-b.f. aft-pat. aft.p.surr	O missed	2	bef-pat. bef-asept aft-b.f. aft-pat. aft.p.surr.	O missed	2	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed
3	☐ bef-pat. ☐ bef-asept. ☐ aft-b. f. ☐ aft-pat. ☐ aft.p.surr.	HR HW O missed	3	bef-pat. bef-asepi aft-b.f. aft-pat. aft.p.surr	O missed	3	bef-pat. bef-asept aft-b.f. aft-pat. aft.p.surr.	O missed	3	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	HR HW O missed O gloves

